

(viii)  $C_1-C_6$ -thioalkoxy -  $C_1-C_6$ - alkyl or benzyl-S -  $C_1-C_6$ - alkyl, (ix)  $C_1-C_6$ - alkylamino, (x) di -  $C_1-C_6$ - alkylamino, (xi) phenyl wherein the phenyl ring is unsubstituted or substituted with a substituent selected from halo,  $C_1-C_6$ - loweralkyl, hydroxy,  $C_1-C_6$ - alkoxy, benzyloxy,  $C_1-C_6$ - thioalkoxy and benzyl-S-, (xii) phenyl -  $C_1-C_6$ - alkyl wherein the phenyl ring is unsubstituted or substituted as defined above, (xiii) di -  $C_1-C_6$ - alkylamino -  $C_1-C_6$ - alkyl, (xiv)  $C_1-C_6$ - alkoxy or benzyloxy and (xv)  $C_1-C_6$ - thioalkoxy or benzyl-S-;

n is 1, 2 or 3;

R<sub>2</sub> is hydrogen or  $C_1-C_6$ - loweralkyl;

R<sub>3</sub> is  $C_1-C_6$ - loweralkyl;

R<sub>4</sub> and R<sub>4a</sub> are independently selected from phenyl and substituted phenyl wherein the phenyl ring is substituted with a substituent selected from

(i) halo, (ii)  $C_1-C_6$ - loweralkyl, (iii) hydroxy, (iv)  $C_1-C_6$ - alkoxy or benzyloxy and (v)  $C_1-C_6$ - thioalkoxy or benzyl-S-;

R<sub>6</sub> is hydrogen or  $C_1-C_6$ - loweralkyl;

R<sub>7</sub> is thiazolyl or oxazolyl wherein the thiazolyl or oxazolyl ring is unsubstituted or substituted with  $C_1-C_6$ - loweralkyl;

X is hydrogen and Y is -OH or X is -OH and Y is hydrogen, with the proviso that X is hydrogen and Y is -OH when Z is -N(R<sub>8</sub>)- and R<sub>7</sub> is unsubstituted and with the proviso that X is hydrogen and Y is -OH when R<sub>3</sub> is methyl and R<sub>7</sub> is unsubstituted; and

Z is absent, -O-, -S-, -CH<sub>2</sub>- or -N(R<sub>8</sub>)- wherein R<sub>8</sub> is  $C_1-C_6$ - loweralkyl,  $C_3-C_7$ - cycloalkyl, -OH or -NHR<sub>8a</sub> wherein R<sub>8a</sub> is hydrogen,  $C_1-C_6$ - loweralkyl or an N-protecting group, or a pharmaceutically acceptable salt [ , ester or prodrug ] thereof [ , wherein the acyl residue of the ester is (i) R<sup>\*</sup>C(O)- or R<sup>\*</sup>C(S)- wherein R<sup>\*</sup> is hydrogen,  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,

$C_1-C_6$ - alkoxy, benzyloxy,  $C_1-C_6$ - thioalkoxy, benzyl-S-,  $C_1-C_6$ - alkoxy -  $C_1-C_6$ - alkyl, benzyloxy -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - thioalkoxy -  $C_1-C_6$ - alkyl, benzyl-S-  $C_1-C_6$ - alkyl or halo -  $C_1-C_6$ - alkoxy, (ii) R<sub>a</sub>-C(R<sub>b</sub>)(R<sub>d</sub>)-C(O)- or R<sub>a</sub>-C(R<sub>b</sub>)(R<sub>d</sub>)-C(S)- wherein R<sub>b</sub> and R<sub>d</sub> are independently selected from hydrogen or  $C_1-C_6$ - loweralkyl and R<sub>a</sub> is -N(R<sub>e</sub>)(R<sub>f</sub>), -OR<sub>e</sub> or -SR<sub>e</sub> wherein R<sub>e</sub> and R<sub>f</sub> are independently selected from hydrogen,  $C_1-C_6$ - loweralkyl and halo -  $C_1-C_6$ - alkyl,


(iii) R<sub>180</sub>NH(CH<sub>2</sub>)<sub>2</sub>NHCH<sub>2</sub>C(O)- or R<sub>180</sub>NH(CH<sub>2</sub>)<sub>2</sub>OCH<sub>2</sub>C(O)- wherein R<sub>180</sub> is hydrogen,  $C_1-C_6$ - loweralkyl, benzyl,  $C_3-C_7$ - cycloalkyl -  $C_1-C_6$ - alkyl,

E1  
cont  
Q1  
cont

$C_1-C_6$ -alkanoyl or benzoyl, (iv)  $-C(O)CH_2NR_{200}R_{201}$  wherein the group  $-NR_{200}R_{201}$  forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,

(v)  $H_2O_3P-$  or (vi)  $-C(O)CH_2CH_2COOH$  and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula  $-CH(R_g)OC(O)R_{181}$  or  $-CH(R_g)OC(S)R_{181}$  wherein  $R_{181}$  is  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - alkoxy, benzyloxy,  $C_1-C_6$ - thioalkoxy, benzyl-S- or halo -  $C_1-C_6$ - alkoxy and  $R_g$  is hydrogen,  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl,  $C_1-C_6$ - alkylaminocarbonyl or di -  $C_1-C_6$ - alkylaminocarbonyl ] .

2. (three times amended) A compound of the formula:



wherein  $R_1$  is monosubstituted thiazolyl or monosubstituted oxazolyl wherein the substituent is selected from (i)  $C_1-C_6$ - loweralkyl, (ii)  $C_2-C_6$ - loweralkenyl, (iii)  $C_3-C_7$ - cycloalkyl,

(iv)  $C_3-C_7$ - cycloalkyl -  $C_1-C_6$ - alkyl, (v)  $C_5-C_7$ - cycloalkenyl, (vi)  $C_5-C_7$ - cycloalkenyl -  $C_1-C_6$ - alkyl, (vii)  $C_1-C_6$ - alkoxy -  $C_1-C_6$ - alkyl or benzyloxy -  $C_1-C_6$ - alkyl,

(viii)  $C_1-C_6$ - thioalkoxy -  $C_1-C_6$ - alkyl or benzyl-S -  $C_1-C_6$ - alkyl, (ix)  $C_1-C_6$ - alkylamino,

(x) di -  $C_1-C_6$ - alkylamino, (xi) phenyl wherein the phenyl ring is unsubstituted or substituted with a substituent selected from halo,  $C_1-C_6$ - loweralkyl, hydroxy,  $C_1-C_6$ - alkoxy, benzyloxy,

$C_1-C_6$ - thioalkoxy and benzyl-S-, (xii) phenyl -  $C_1-C_6$ - alkyl wherein the phenyl ring is unsubstituted or substituted as defined above, (xiii) di -  $C_1-C_6$ - alkylamino -  $C_1-C_6$ - alkyl,

(xiv)  $C_1-C_6$ - alkoxy or benzyloxy and (xv)  $C_1-C_6$ - thioalkoxy or benzyl-S-;

$n$  is 1 ;

$R_2$  is hydrogen or  $C_1-C_6$ - loweralkyl;

$R_3$  is  $C_1-C_6$ - loweralkyl;

$R_4$  is phenyl wherein the phenyl ring is unsubstituted or substituted with a substituent selected from (i) halo, (ii)  $C_1-C_6$ - loweralkyl, (iii) hydroxy, (iv)  $C_1-C_6$ - alkoxy or benzyloxy and (v)  $C_1-C_6$ - thioalkoxy or benzyl-S-;

$R_6$  is hydrogen or  $C_1$ - $C_6$ -loweralkyl;

~~R<sup>7</sup> is thiazolyl or oxazolyl wherein the thiazolyl or oxazolyl ring is unsubstituted or substituted with C<sub>1</sub>-C<sub>6</sub>-loweralkyl;~~

X is hydrogen and Y is -OH ;

Z is absent, -O-, -S-, -CH<sub>2</sub>- or -N(R<sub>8</sub>)- wherein R<sub>8</sub> is C<sub>1</sub>-C<sub>6</sub>- loweralkyl, C<sub>3</sub>-C<sub>7</sub>- cycloalkyl, -OH or -NHR<sub>8a</sub> wherein R<sub>8a</sub> is hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl or an N-protecting group; or a pharmaceutically acceptable salt [ , ester or prodrug ] thereof [ , wherein the acyl residue of the ester is (i) R<sup>\*</sup>C(O)- or R<sup>\*</sup>C(S)- wherein R<sup>\*</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl, halo -C<sub>1</sub>-C<sub>6</sub>- alkyl,

C<sub>1</sub>-C<sub>6</sub>-alkoxy, benzyloxy, C<sub>1</sub>-C<sub>6</sub>-thioalkoxy, benzyl-S-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, benzyloxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-thioalkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, benzyl-S-C<sub>1</sub>-C<sub>6</sub>-alkyl or halo-C<sub>1</sub>-C<sub>6</sub>-alkoxy,

(ii)  $R_A-C(R_B)(R_D)-C(O)-$  or  $R_A-C(R_B)(R_D)-C(S)-$  wherein  $R_B$  and  $R_D$  are independently selected from hydrogen or  $C_1-C_6$ -loweralkyl and  $R_A$  is  $-N(R_E)(R_F)$ ,  $-OR_E$  or  $-SR_E$  wherein  $R_E$  and  $R_F$  are independently selected from hydrogen,  $C_1-C_6$ -loweralkyl and halo- $C_1-C_6$ -alkyl,

(iii)  $R_{180}NH(CH_2)_2NHCH_2C(O)-$  or  $R_{180}NH(CH_2)_2OCH_2C(O)-$  wherein  $R_{180}$  is hydrogen,  $C_1-C_6$ -loweralkyl, benzyl,  $C_3-C_7$ -cycloalkyl -  $C_1-C_6$ -alkyl,

C<sub>1</sub>-C<sub>6</sub>-alkanoyl or benzoyl, (iv) -C(O)CH<sub>2</sub>NR<sub>200</sub>R<sub>201</sub> wherein the group -NR<sub>200</sub>R<sub>201</sub> forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl.

(v)  $\text{H}_2\text{O}_3\text{P-}$  or (vi)  $-\text{C}(\text{O})\text{CH}_2\text{CH}_2\text{COOH}$  and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula  $-\text{CH}(\text{R}_g)\text{OC}(\text{O})\text{R}_{181}$  or  $-\text{CH}(\text{R}_g)\text{OC}(\text{S})\text{R}_{181}$  wherein  $\text{R}_{181}$  is  $\text{C}_1$ -  $\text{C}_6$ - loweralkyl, halo -  $\text{C}_1$ -  $\text{C}_6$ - alkyl,  $\text{C}_1$ -  $\text{C}_6$ - alkoxy, benzyloxy,  $\text{C}_1$ -  $\text{C}_6$ - thioalkoxy, benzyl-S- or halo -  $\text{C}_1$ -  $\text{C}_6$ - alkoxy and  $\text{R}_g$  is hydrogen,  $\text{C}_1$ -  $\text{C}_6$ - loweralkyl, halo -  $\text{C}_1$ -  $\text{C}_6$ - alkyl,  $\text{C}_1$ -  $\text{C}_6$ - alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl,  $\text{C}_1$ -  $\text{C}_6$ - alkylaminocarbonyl or di -  $\text{C}_1$ -  $\text{C}_6$ - alkylaminocarbonyl ] .

9. (twice amended) (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane; or a pharmaceutically acceptable salt [ ], ester or prodrug [ ], wherein the acyl residue of the ester is (i) R<sup>\*</sup>C(O)- or R<sup>\*</sup>C(S)- wherein R<sup>\*</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl, halo-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, benzyloxy, C<sub>1</sub>-C<sub>6</sub>-thioalkoxy, benzyl-S-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl,

benzyloxy - C<sub>1</sub>-C<sub>6</sub>- alkyl, C<sub>1</sub>-C<sub>6</sub>- thioalkoxy - C<sub>1</sub>-C<sub>6</sub>- alkyl, benzyl-S- C<sub>1</sub>-C<sub>6</sub>- alkyl or halo - C<sub>1</sub>-C<sub>6</sub>- alkoxy,  
 (ii) R<sub>a</sub>-C(R<sub>b</sub>)(R<sub>d</sub>)-C(O)- or R<sub>a</sub>-C(R<sub>b</sub>)(R<sub>d</sub>)-C(S)- wherein R<sub>b</sub> and R<sub>d</sub> are independently selected from hydrogen or C<sub>1</sub>-C<sub>6</sub>- loweralkyl and R<sub>a</sub> is -N(R<sub>e</sub>)(R<sub>f</sub>), -OR<sub>e</sub> or -SR<sub>e</sub> wherein R<sub>e</sub> and R<sub>f</sub> are independently selected from hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl and halo - C<sub>1</sub>-C<sub>6</sub>- alkyl,  
 (iii) R<sub>180</sub>NH(CH<sub>2</sub>)<sub>2</sub>NHCH<sub>2</sub>C(O)- or R<sub>180</sub>NH(CH<sub>2</sub>)<sub>2</sub>OCH<sub>2</sub>C(O)- wherein R<sub>180</sub> is hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl, benzyl, C<sub>3</sub>-C<sub>7</sub>- cycloalkyl - C<sub>1</sub>-C<sub>6</sub>- alkyl, C<sub>1</sub>-C<sub>6</sub>- alkanoyl or benzoyl, (iv) -C(O)CH<sub>2</sub>NR<sub>200</sub>R<sub>201</sub> wherein the group -NR<sub>200</sub>R<sub>201</sub> forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,  
 (v) H<sub>2</sub>O<sub>3</sub>P- or (vi) -C(O)CH<sub>2</sub>CH<sub>2</sub>COOH and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula -CH(R<sub>g</sub>)OC(O)R<sub>181</sub> or -CH(R<sub>g</sub>)OC(S)R<sub>181</sub> wherein R<sub>181</sub> is C<sub>1</sub>-C<sub>6</sub>- loweralkyl, halo - C<sub>1</sub>-C<sub>6</sub>- alkyl, C<sub>1</sub>-C<sub>6</sub>- alkoxy, benzyloxy, C<sub>1</sub>-C<sub>6</sub>- thioalkoxy, benzyl-S- or halo - C<sub>1</sub>-C<sub>6</sub>- alkoxy and R<sub>g</sub> is hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl, halo - C<sub>1</sub>-C<sub>6</sub>- alkyl, C<sub>1</sub>-C<sub>6</sub>- alkoxy, benzyloxy, aminocarbonyl, C<sub>1</sub>-C<sub>6</sub>- alkylaminocarbonyl or di - C<sub>1</sub>-C<sub>6</sub>- alkylaminocarbonyl ] .

19. (three times amended) A compound selected from the group consisting of:

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)-amino)carbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;  
 (2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;  
 (2S,3S,5S)-2-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;  
~~(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;~~  
 (2S,3S,5S)-5-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)-valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;  
 (2S,3S,5S)-2-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)-valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;  
 (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane; and  
 (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;  
 or a pharmaceutically acceptable salt [ , ester or prodrug ] thereof [ , wherein the acyl residue of the ester is (i) R<sup>\*</sup>C(O)- or R<sup>\*</sup>C(S)- wherein R<sup>\*</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>- loweralkyl, halo - C<sub>1</sub>-C<sub>6</sub>- alkyl, C<sub>1</sub>-C<sub>6</sub>- alkoxy, benzyloxy, C<sub>1</sub>-C<sub>6</sub>- thioalkoxy, benzyl-S-, C<sub>1</sub>-C<sub>6</sub>- alkoxy - C<sub>1</sub>-C<sub>6</sub>- alkyl, benzyloxy - C<sub>1</sub>-C<sub>6</sub>- alkyl, C<sub>1</sub>-C<sub>6</sub>- thioalkoxy - C<sub>1</sub>-C<sub>6</sub>- alkyl, benzyl-S- C<sub>1</sub>-C<sub>6</sub>- alkyl or halo - C<sub>1</sub>-C<sub>6</sub>- alkoxy,  
 (ii) R<sub>a</sub>-C(R<sub>b</sub>)(R<sub>d</sub>)-C(O)- or R<sub>a</sub>-C(R<sub>b</sub>)(R<sub>d</sub>)-C(S)- wherein R<sub>b</sub> and R<sub>d</sub> are independently selected from

hydrogen or  $C_1-C_6$ - loweralkyl and  $R_a$  is  $-N(R_e)(R_f)$ ,  $-OR_e$  or  $-SR_e$  wherein  $R_e$  and  $R_f$  are independently selected from hydrogen,  $C_1-C_6$ - loweralkyl and halo -  $C_1-C_6$ - alkyl,

(iii)  $R_{180}NH(CH_2)_2NHCH_2C(O)-$  or  $R_{180}NH(CH_2)_2OCH_2C(O)-$  wherein  $R_{180}$  is hydrogen,  $C_1-C_6$ - loweralkyl, benzyl,  $C_3-C_7$ - cycloalkyl -  $C_1-C_6$ - alkyl,

$C_1-C_6$ - alkanoyl or benzoyl, (iv)  $-C(O)CH_2NR_{200}R_{201}$  wherein the group  $-NR_{200}R_{201}$  forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,

(v)  $H_2O_3P-$  or (vi)  $-C(O)CH_2CH_2COOH$  and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula  $-CH(R_g)OC(O)R_{181}$  or  $-CH(R_g)OC(S)R_{181}$  wherein  $R_{181}$  is  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - alkoxy, benzyloxy,  $C_1-C_6$ - thioalkoxy, benzyl-S- or halo -  $C_1-C_6$ - alkoxy and  $R_g$  is hydrogen,  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - alkoxy carbonyl, benzyloxy carbonyl, aminocarbonyl,  $C_1-C_6$ - alkylaminocarbonyl or di -  $C_1-C_6$ - alkylaminocarbonyl ] .

13

32.1 (amended) A compound selected from the group consisting of:

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclohexyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,1-dimethyl)ethyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclopentenyl)-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)-methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclohexenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclopentenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclohexenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl-1-propenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

17  
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl-1-propenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

103  
cont  
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,2-dimethyl-1-propenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclopentyl)methyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclohexyl)methyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-phenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-benzyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-phenyl)ethyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓  
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(4-fluoro)phenyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-chloro)phenyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓  
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-methoxy)phenyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-methoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(N,N-dimethylamino)methyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-propyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl)propyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl)propyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-ethyl)propyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Ethyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Cyclopropyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((1-(2-Isopropyl-4-thiazolyl)ethoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Cyclopropyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

103  
cont

30  
1

(2S,3S,5S)-5-(N-(N-((4-Isopropyl-2-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(N,N-Diethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((N,N-dimethylamino)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(methoxymethyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((2-methyl-5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)thiomethoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((3-(2-Isopropyl-4-thiazolyl)propanoyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-(1-(5-thiazolyl)ethoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-5-(N-((2-methyl-5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopentyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclohexyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,1-dimethyl)ethyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclobutyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopropyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

Q3  
cont



(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclopentenyl)-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)-methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclohexenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclopentenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclohexenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl-1-propenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl-1-propenyl)-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)-amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,2-dimethyl-1-propenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)-methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclopentyl)methyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclohexyl)methyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-phenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-benzyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-phenyl)ethyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-phenyl-1-ethenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)-methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

293  
Cont

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(4-fluoro)phenyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-chloro)phenyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-methoxy)phenyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-thiazolyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-thiazolyl)methyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-methoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(N,N-dimethylamino)methyl-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-propyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl)propyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl)propyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-ethyl)propyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)alaninyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Ethyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-2-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)alaninyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-2-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-methyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-pentyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(2-Isopropyl-4-thiazolyl)ethoxy)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((2-(2-Isopropyl-4-thiazolyl)ethoxy)carbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)acetyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclobutyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-(1-Propyl)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-5-(N-(N-((N-(Isobutyl)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)carbonyl)-L-alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopentyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isobutyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Ethyl-N-((2-cyclopentyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-(2-(2-isopropyl-4-thiazolyl)ethyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-(tert-Butyloxycarbonylamino)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane; and

(2S,3S,5S)-5-(N-(N-((N-(Amino)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane Hydrochloride;

or a pharmaceutically acceptable salt [ , ester or prodrug ] thereof [ , wherein the acyl residue of the ester is (i)  $R^*C(O)-$  or  $R^*C(S)-$  wherein  $R^*$  is hydrogen,  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,

$C_1-C_6$ - alkoxy, benzyloxy,  $C_1-C_6$ - thioalkoxy, benzyl-S-,  $C_1-C_6$ - alkoxy -  $C_1-C_6$ - alkyl, benzyloxy -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - thioalkoxy -  $C_1-C_6$ - alkyl, benzyl-S-  $C_1-C_6$ - alkyl or halo -  $C_1-C_6$ - alkoxy,

(ii)  $R_a-C(R_b)(R_d)-C(O)-$  or  $R_a-C(R_b)(R_d)-C(S)-$  wherein  $R_b$  and  $R_d$  are independently selected from hydrogen or  $C_1-C_6$ - loweralkyl and  $R_a$  is - $N(R_e)(R_f)$ , - $OR_e$  or - $SR_e$  wherein  $R_e$  and  $R_f$  are independently selected from hydrogen,  $C_1-C_6$ - loweralkyl and halo -  $C_1-C_6$ - alkyl,

(iii)  $R_{180}NH(CH_2)_2NHCH_2C(O)-$  or  $R_{180}NH(CH_2)_2OCH_2C(O)-$  wherein  $R_{180}$  is hydrogen,  $C_1-C_6$ - loweralkyl, benzyl,  $C_3-C_7$ - cycloalkyl -  $C_1-C_6$ - alkyl,

$C_1-C_6$ - alkanoyl or benzoyl, (iv)  $-C(O)CH_2NR_{200}R_{201}$  wherein the group  $-NR_{200}R_{201}$  forms a nitrogen-containing heterocycle selected from aziridiny, azetidiny, pyrrolidiny, piperidiny, piperaziny, morpholiny and thiomorpholiny,

(v)  $H_2O_3P-$  or (vi)  $-C(O)CH_2CH_2COOH$  and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula  $-CH(R_g)OC(O)R_{181}$  or  $-CH(R_g)OC(S)R_{181}$  wherein  $R_{181}$  is  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - alkoxy, benzyloxy,  $C_1-C_6$ - thioalkoxy, benzyl-S- or halo -  $C_1-C_6$ - alkoxy and  $R_g$  is hydrogen,  $C_1-C_6$ - loweralkyl, halo -  $C_1-C_6$ - alkyl,  $C_1-C_6$ - alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl,  $C_1-C_6$ - alkylaminocarbonyl or di -  $C_1-C_6$ - alkylaminocarbonyl ] .

### REMARKS

This is a preliminary amendment in a File Wrapper Continuation application based on parent application Serial No. 08/158,587, filed December 2, 1993. The parent application received a final rejection on December 28, 1994. Applicants submitted an amendment and response after final rejection on March 2, 1995. The Examiner replied with an Advisory Action on March 14, 1995. In the Advisory Action, the Examiner (1) allowed Claims 29-31, (2) objected to the specification and rejected Claims 1-2 under 35 U.S.C. 112, (3) rejected Claims 1, 2, 8-10, 12, 15 and 32 under 35 U.S.C. 112 and (4) objected to Claims 3-7 and 18-20.

Prior to examination of this File Wrapper Continuation application, Applicants request that the Examiner enter the amendments submitted on March 2, 1995 in the parent application.